



Price Schedule

Date: _____

Ref # IDEA/Soap Making/6524/05/2022

Please mention your bid / quote on this form along with your sign and stamp on each page or in the same manner on your letter head.

| Sr. No. | Description | Specifications | Unit | QTY Required | Unite Price | Total Price with taxes and transportation | Remarks |
|---------|---|---|------|--------------|-------------|---|--|
| 1. | Dustbin for schools  | Capacity: 30 Ltr Use: It can be used for (Wet, Dry Waste) Durable Body having paddle for cover open/close | Nos. | 600 | | | 360 Dustbin for Baluchistan & 240 Dustbin for KP |
| 2. | Colored dustbin for health facilities (White, Blue & Red) with Pedal Mechanism  | 30 Ltr each | Set | 27 | | | 12 sets for KP and 15 sets for Baluchistan |
| 3. | 2 time disinfection spray with (15 days gap) in Health facilities of Baluchistan and KP | Chlorine Solution: Purity as chlorine % (V/V). 99.50 min. Moisture ppm(W/W). 200 Max. Dettol Liquid: Antibacterial, benzalkonium chloride contain less than 5% | Job | 27 | | | 15 for Baluchistan & 12 for KP as per attached detail of locations |
| 4. | 2 time disinfection spray with (15 days gap) in Schools of Baluchistan and KP | Chlorine Solution: Purity as chlorine % (V/V). 99.50 min. Moisture ppm(W/W). 200 Max. Dettol Liquid: Antibacterial, benzalkonium chloride contain less than 5% | Job | 100 | | | 60 for Baluchistan & 40 for KP as per attached detail of locations |

| | | | | | | | |
|----|------------|---|----|----|--|--|---------------------|
| 5. | Spray Pump | 20 Liter Spray Pump rechargeable. Made from HDPE plastic (Good Quality) | No | 25 | | | 5 for each District |
|----|------------|---|----|----|--|--|---------------------|

Name of Bidder _____ Signature & Stamp of Bidder _____ Date _____

Contact Number _____ Email Address _____

Office Address _____